

AD-A141 184

THE VAPOR PRESSURE OF SALT-HCl-WATER SOLUTIONS BELOW 0C
(U) MACKAY SCHOOL OF MINES RENO NV DEPT OF CHEMICAL AND
METALLURG.. E MILLER JAN 84 AFOSR-TR-84-0343

1/1


UNCLASSIFIED

AFOSR-82-0049

F/G 7/4

NL

END
DATE
FILED
O-84
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A



~~AFOSR-TR- 84-0343~~

61

UNIVERSITY OF NEVADA RENO

Department of Chemical and Metallurgical Engineering

May Kay B. L. M.

$$\tilde{S}_1 \otimes_{\mathbb{Z}_p} V^{\vee} = V^{\vee} \otimes_{\mathbb{Z}_p} \tilde{S}_1^{\vee}$$

Annual Report Covering Period 1 Dec R. to 31 May S

AD-A141 184

² See also the discussion of the relationship between the two concepts in the section on "The Concept of Social Capital."

• 1990 • 10 • 107-114 • 107

1000: The First Half of Every Movie

SEARCHED - INDEXED - SERIALIZED - FILED

1967-01-01 AIR FORCE OFFICE OF SPECIAL INSPECTION
SUBORDINATE ACT
SPECIAL AGENT IN CHARGE
OFFICE OF INSPECTOR GENERAL

PRINT FILE COPY

Published online in Wiley Online Library (wileyonlinelibrary.com) at <http://onlinelibrary.wiley.com> © 2013 The Authors
Journal compilation © 2013 Association for Child and Adolescent Mental Health.

Qualified requesters may obtain additional copies at the Defense Documentation Center; all others should apply to the National Technical Information Service.

"Representation, translation, publication, use and circulation in whole or in part by or for the United States Government is prohibited.

84 05 15 236

~~UNCLASSIFIED~~
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE			READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFOSR-TR- 84-0343	2. GOVT ACCESSION NO. AD-A142 184	3. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle) THE VAPOR PRESSURE OF SALT-HCl-WATER SOLUTIONS BELOW OC	5. TYPE OF REPORT & PERIOD COVERED INTERIM 1 Dec 81 - 30 Nov 83		
	6. PERFORMING ORG. REPORT NUMBER		
7. AUTHOR(s) Eugene Miller	8. CONTRACT OR GRANT NUMBER(s) AFOSR 82-0049		
9. PERFORMING ORGANIZATION NAME AND ADDRESS UNIVERSITY OF NEVADA RENO MACKAY SCHOOL OF MINES RENO, NV 89557	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 2308 B1 61102F		
11. CONTROLLING OFFICE NAME AND ADDRESS AIR FORCE OFFICE OF SCIENTIFIC RESEARCH/NA Bolling AFB, D.C. 20332	12. REPORT DATE Jan 84		
14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office)	13. NUMBER OF PAGES 5 plus 4 figures		
	15. SECURITY CLASS. (of this report) UNCLASSIFIED		
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE		
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18. SUPPLEMENTARY NOTES			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) THERMOCHEMISTRY, VAPOR PRESSURE, SOLUBILITY, CaCl₂-HYDROCHLORIC ACID			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Vapor-liquid equilibria data are presented for hydrochloric acid solutions, ranging in nominal HCl mol fraction from 0.11 to 0.23, saturated with CaCl₂ at nominal temperatures between 0 and -40 C. Total pressures were measured by capacitance gauges, vapor compositions by direct vapor-phase sampling into a quadruple mass filter and liquid compositions by electric conductivity.			

ABSTRACT

Vapor-liquid equilibria data are presented for hydrochloric acid solutions ranging in nominal HCl mole fraction from 0.110 to 0.225, saturated with CaCl_2 , at nominal solution temperatures between 0 and -40°C. Total pressures were measured by capacitance gauges, vapor compositions by direct vapor-phase sampling into a quadrupole mass filter and liquid compositions by electric conductivity. The addition of CaCl_2 to hydrochloric acid breaks the azeotrope and generally increases the vapor pressures of HCl and water.

Solubility and solution densities have also been measured. Solution compositions have not been completely titrated limiting the interpretation of the results to some extent. These are presently being done. It is probable that the effect of CaCl_2 on the formation of secondary smoke in a reduced smoke rocket plume has less an effect than NaCl .

INTRODUCTION

The vapor pressures of hydrochloric acid solutions are important to the modelling of secondary smoke in related smoke ammonium perchlorate solid propellant rocket plumes, ref 1, since the growth of secondary smoke droplets is dependent on their equilibrium behavior. In addition, the behavior of strong electrolytes in aqueous solution is of fundamental theoretical interest. Inorganic salts dissolved in hydrochloric acid will significantly modify the equilibrium behavior due to their effects on the activities of the HCl and water in the liquid phase, ref 2. The resulting change in the solvation vapor pressure alters the rate of formation and the chemical composition of the secondary smoke, refs 3, 4. The major contaminants found in ammonium perchlorate are sodium and potassium salts. In addition, tricalcium phosphate added to ammonium perchlorate for ease in processing provides a major source of soluble electrolyte. All these cations are found in the rocket plume in sufficient quantity to nucleate the secondary smoke droplets, and to subsequently dissolve and influence the dynamics of growth and the chemical composition of the smoke, ref 5. If iron and copper combustion modifiers are avoided, none of the others commonly added to propellants will produce salts soluble enough to effect significant changes in the behavior of the hydrochloric acid smoke droplets. The original choices of NaCl and CaCl₂ as the salts for study were based on these considerations as well as for their differences in ionic strength. A very limited study of KCl was subsequently added for consideration but time did not permit actual experimental measurements to be made.

Prior to the measurements made by the principal investigator under sponsorship of AFOSR, no vapor pressure data were available for either pure hydrochloric acid or for hydrochloric acid containing dissolved NaCl or CaCl₂ for temperatures below 0°C, the temperatures of primary interest for secondary smoke formation. Data exist for these solutions, either primary vapor pressure or activities from which the vapor pressure may be predicted, only for temperatures at or above 0°C. The low temperature vapor-liquid equilibria measurements for the pure hydrochloric acid and for solutions containing NaCl have been completed and are published in refs 6 and 7. The experimental vapor-liquid equilibria of CaCl₂-HCl-H₂O solutions for nominal temperatures from 0 to -40°C are given in the present report completing the study of the pure and salted hydrochloric acid solutions.

EXPERIMENTAL

As shown schematically in Figure 1, a 2-liter Pyrex flask is immersed in a methylene chloride bath cooled in a two-stage mechanical refrigeration system. The temperature of the bath is maintained within $\pm 0.1^\circ\text{C}$, monitored by a calibrated platinum resistance thermometer. Removal of air from the system is accomplished by a mechanical vacuum pump in series with a liquid nitrogen trap. Pressure measurements with two MBS Paratron Type 720 gauges (1/44 to 1 torr, and 1/40 to 1400 torr) calibrated by the manufacturer by means of a FEC air density gauge and a transfer standard to $\pm 0.01\%$ of full range. For analysis of liquid solution samples, the acid in the sample is distilled away from the salt in a closed glass system. All water of hydration of the salts is driven off with the acid by heating the remaining salt to 210-240 $^\circ\text{C}$. The distilled acid and the salt subsequently dissolved in water are analyzed to $\pm 1\%$ maximum standard deviation using a Barnstead Model FM-700P elektroconductivity bridge and a Yellowstone YSI 3400 Pyrex cell in conjunction with standardized solutions.

Vapor pressures are measured for samples drawn from the vapor chamber into a Varian VGA-100 quadrupole mass filter. The ratio of partial pressures of water to HCl is determined from the recorded mass spectra in the range of 14-20 and 34-40 mass numbers. The mass spectra are obtained at mass filter pressures of nominally 3-6 torr sampling continuously from the vapor chamber which is above the solution flask while pumping on the mass filter with a Varian 20-liter per sec Vacuum pump. The experimental procedure for determining the relative sensitivity of the mass filter to water and HCl as a function of composition, and the details of operation of the equipment for the vapor-liquid equilibrium measurements are given in ref 6.

RESULTS & DISCUSSION

Liquid phase analyses have not been completed at this date and therefore the acid compositions given are nominal salt-free mol fractions and the salt concentrations are noted only as being "saturated". Total pressure, P , partial pressures of HCl and water, p_{HCl} and $p_{\text{H}_2\text{O}}$ respectively, as

a function of salt-free mol fraction of HCl, X_{HCl} , and solution temperature, T, for solutions saturated with CaCl₂ are given in Figures 2, 3, and 4 respectively. It may be noted from Figure 2 that the minimum pressure azeotrope observed for both the pure hydrochloric acid and for hydrochloric acid containing dissolved NaCl does not occur for the CaCl₂-HCl-water system. This is expected since CaCl₂ is used commercially to break the azeotrope for the production of concentrated hydrochloric acid. Along with the disappearance of the azeotrope there is observed a steep pressure gradient between the X_{HCl} values of 0.110 and 0.125 such that the total pressure increases by an order of magnitude and the total pressure at $X_{HCl} = 0.125$ is only moderately lower than the total pressure at 0.147. The total pressures in this range are an order of magnitude higher than those for pure hydrochloric acid or for acid in which NaCl is dissolved. Additionally, it may be seen in Figure 2 that the partial pressure of HCl increases markedly in the same X_{HCl} range, HCl vapor mol fractions being 20.9%. The HCl partial pressures are also at least an order of magnitude higher than those of pure and NaCl-hydrochloric acid solutions in this range of X_{HCl} values. Figure 4 illustrates the variation of the water vapor pressure with temperature and X_{HCl} . The water vapor pressures in the X_{HCl} range 0.125 to 0.147 appear to be higher than those for pure or NaCl-hydrochloric acid solutions. It may be noted also that the CaCl₂ solution at $X_{HCl} = 0.147$ freezes at a higher temperature than either the pure or NaCl-saturated hydrochloric acid solutions. Further interpretation of the vapor-liquid results and reporting of the CaCl₂ solubility in hydrochloric acid as a function of acid concentration and temperature await completion of the solution analyses.

Based on related computations reported in ref 5, it appears from these data that CaCl₂ present in the reduced smoke rocket plume will not cause as serious an effect on the formation of secondary smoke as would NaCl and probably KCl. Confirmation of this conclusion must await completion of the solution analyses and secondary smoke prediction computations for atmospheric and flight conditions of interest.

FUTURE PLANS

Although the contractual period of the grant has expired and the funds expended, the solution analyses presently

underway for the hydrochloric acid and CaCl_2 will be completed and made available to AFOSR at no additional cost to AFOSR. Subsequently, a manuscript summarizing the results of the study of the $\text{CaCl}_2\text{-HCl}\text{-water}$ system will be submitted to an archive journal for publication.

REFERENCES

- (1) Miller, E., "Smokeless Propellants," Chap. 15, "Fundamentals of Solid Propellant Combustion," J.W. and M. Connaughton, eds. Progress in Aero- and Astronautics. AIAA. In printing.
- (2) Harned, H.S. & B.B. Owen, "The Physical Chemistry of Electrolytic Solutions," Reinhold (1958)
- (3) Hoshizaki, H. et al, "Picture Visibility Detection Study," Report AFRL-TR-78-32, Vol. I, (Nov 78)
- (4) Miller, E., J.W. Connaughton & L.B. Thorn, "Measured and Predicted Laser Attenuation Through a Solid Rocket Plume," JANNAF Propulsion Meeting (1980)
- (5) Miller, E., "Comparison of Experimental & Predicted Secondary Smoke Optical Signal Attenuation," 13th JANNAF Plume Technology Meeting (1982)
- (6) Miller, E., "Vapor-Liquid Equilibrium of water-Hydrogen Chloride Solutions (below 0°C)," J. Chem. Eng. Data 27, 164-67 (Oct 83)
- (7) Miller, E., "Vapor-Liquid Equilibrium of Hydrogen Chloride-Sodium Chloride-Water Solutions, below 0°C," Submitted for publication to J. Chem. Eng. Data.




FIGURE 1
Schematic of Experimental Apparatus

